


Item Number	Model	Nominal Size	Air Flow (CFM)		Initial Resistance (In. W.G.)	
			300 FPM	500 FPM	300 FPM	500 FPM
4101081	PANEL HT	12 x 24	600	1000	.30"	.65"
4101085	PANEL HT	16 x 20	670	1120	.30"	.65"
4101087	PANEL HT	16 x 25	840	1400	.30"	.65"
4101100	PANEL HT	20 x 20	840	1400	.30"	.65"
4101091	PANEL HT	20 x 24	1000	1670	.30"	.65"
4101092	PANEL HT	20 x 25	1050	1750	.30"	.65"
4101096	PANEL HT	24 x 24	1000	2000	.30"	.65"




STANDARD CONSTRUCTION:

- 100 % Polyester Media With Tack
Dual Layer Media Air Entering Side (White)
Single Media Layer Air Leaving Side (Green)
- Sewn Construction
- Sewn with 1" Seam Allowance Around Perimeter
- 9 GA Steel Internal Wire Frame
- Cross Wires Installed in the Width Direction

NOTES:

- MERV 8 ASHRAE 52.2-1999
- Actual Size of the internal ring is 1/2" less than nominal
- Final Resistance: 1.0" W.G.
- Class 2 Filter Per U.L. Standard 900
- Maximum Operating Temperature: 225 deg. F

 <p>1612 North Davis Ave. Ottawa, KS 66067 P: 800-624-8739 F: 785-242-8700 www.ati-filters.com</p>	<p>TOLERANCES UNLESS OTHERWISE SPECIFIED</p> <p>FRACTIONAL DECIMAL ANGLES</p> <p>ALL DIMENSIONS IN INCHES</p>	<p>DRAWING NAME PANEL HT</p>	
	<p>CONTACT FACTORY TO VERIFY REVISION LEVEL</p>	<p>APPROVED BY <i>K. Quinn</i></p> <p>SCALE NONE</p>	<p>SPECIFICATION NO. MKT-P-00100</p> <p>DWG. SIZE A</p>

CONFIDENTIAL - DO NOT COPY. THIS MATERIAL IS TRADE SECRET AND PROPRIETARY BEING EXCLUSIVELY OWNED BY CLC AIR. THE EXPRESSION OF THE INFORMATION CONTAINED HEREIN IS PROTECTED UNDER FEDERAL COPYRIGHT LAWS AND ALL COPYING IS PROHIBITED AND MAY BE SUBJECT TO CRIMINAL PENALTIES.